

JURON
BY GRS®




QC BASIC SET
FOR GRS® STANDARD BLOCK

#500-512 • INSTRUCTIONS

QC ADAPTER FOR STANDARD BLOCK

INSTRUCTIONS

Instructions apply to the following product(s):



✓
500-008

FIG.1

Once adapters are installed, the GRS® Standard Block can be used with JURA QC workholding fixtures.



IMPORTANT NOTE:

These adapters are only compatible with the GRS Standard Block. The adapters will **not** fit in the jaws of any other GRS blocks.

✓ Included with this set.

◆ Not included with this set. Available separately.

Fixture Attachment



BOTTOM



SIDE



ANGLE

Master Jaw Seat



Fixture Installation

FIG.1



FIG.2



SEATED QC FIXTURES

INSTRUCTIONS

Instructions apply to the following product(s):



500-001



500-002



500-003



500-004



500-005



500-006



500-007



500-009



500-010



500-013



500-503



502-078





INSIDE RING HOLDER SCREW SET

INSTRUCTIONS

Instructions apply to the following product(s):



500-011



✓ Included with this set.

◆ Not included with this set. Available separately.







VERTICAL RING HOLDER

INSTRUCTIONS

Instructions apply to the following product(s):



502-501



✓ Included with this set.

◆ Not included with this set. Available separately.