

Manufacturer of Precision Tools and Equipment

PAGE 1

MANUFACTURE INFORMATION

GROBET FILE CO. OF AMERICA, INC.
750 WASHINGTON AVE. EMERGENCY PHONE.....: 800-255-3924
CARLSTADT, NJ 07072 PREPARATION/REVISION DATE: 09/01/98

TRADE NAME/SYNONYMS...: FABULUSTRE 1 LB TUBE
CHEMICAL NAME/SYNONYMS: BUFFING COMPOUND
CHEMICAL FAMILY.....:
FORMULA.....: MIXTURE
PRODUCT CODE.....: 47.313

***** HAZARDOUS INGREDIENTS *****

DOES PRODUCT CONTAIN HAZARDOUS INGREDIENTS? (Y,N,N/A,N/I) : Y

CHEMICAL/COMMON NAME	CAS-NUMBER	%	PEL-OSHA TLV-ACGIH
ALUMINUM OXIDE	1344-28-1		10.5MGM3
STEARIC ACID (FATTY ACID)	57-11-4		

DOES PRODUCT CONTAIN CARCINOGENS (NTP, IARC, OR OSHA)? (Y,N,N/A,N/I): N

***** HEALTH HAZARD DATA *****

HEALTH EFFECTS (ACUTE AND CHRONIC)

ACUTE: COUGHING AND/OR SNEEZING IF DUST IS GENERATED DURING USE. OVER EXPOSURE MAY CAUSE TEMPORARY IRRITATION OF EYES, EARS, NOSE, AND RESPIRATORY TRACT. POSSIBLE SKIN OR EYE IRRITANT.

PRIMARY ROUTES OF ENTRY

INHALATION, INGESTION,SKIN.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

UPPER RESPIRATORY AILMENTS

EMERGENCY FIRST AID PROCEDURES


INHALATION: REMOVE TO FRESH AIR.SKIN AND EYES: FLUSH WITH WATER FOR 15 MINUTE INCLUDING UNDER EYELIDS. INGESTION: SEEK IMMEDIATE MEDICAL ATTENTION.

***** CHEMICAL DATA *****

BOILING POINT(F)....	205 C	SPECIFIC GRAVITY(WATER=1).....	1.00
VAPOR PRESSURE(MMHG)	<1MBAR	PERCENT VOLATILE BY VOLUME(%).....	N/A
VAPOR DENSITY(AIR=1)	N/A	EVAP RATE(N/A =1)	N/A

SOLUBILITY IN WATER.. INSOLUBLE

526-4602



Manufacturer of Precision Tools and Equipment

PAGE

2

APPEARANCE AND ODOR INFORMATION

WHITE COLORED COMPOUND WITH WAXY ODOR

***** PHYSICAL HAZARD DATA *****

FLASH POINT (METHOD USED) 520 FCOC FLAMMABLE LIMITS-LEL= N/A UEL= N/A

EXTINGUISHING MEDIA

CO2, DRY CHEMICAL, FOAM, WATER FOG

SPECIAL FIRE FIGHTING PROCEDURES

WEAR PROPER PERSONAL PROTECTION AND SELF CONTAINED BREATHING APPARATUS. TOXIC VAPORS AMY BE RELEASED UNDER FIRE CONDITIONS.

UNUSUAL FIRE AND EXPLOSION HAZARDS

NO APPLICABLE INFORMATION FOUND.

***** REACTIVITY DATA *****

INCOMPATIBILITY (MATERIALS TO AVOID)

NO APPLICABLE INFORMATION FOUND.

HAZARDOUS DECOMPOSITION PRODUCTS

IF INCOMPLETE COMBUSTION OCCURS, CARBON MONOXIDE WILL FORM.

WILL HAZARDOUS POLYMERIZATION OCCUR

NO

CONDITIONS TO AVOID/POLYMERIZATION

NO APPLICABLE INFORMATION FOUND.

IS THE PRODUCT STABLE

YES


CONDITIONS TO AVOID/STABILITY

KEEP AWAY FROM HEAT AND SOURCES OF IGNITION.

***** SPILL AND LEAK PROCEDURES *****

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

USE SUITABLE MEANS TO MINIMIZE GENERATING DUST.(IE. VACUUM) DRY SWEEPING IS NOT RECOMMENDED.



Manufacturer of Precision Tools and Equipment

PAGE 3

WASTE DISPOSAL METHOD
IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

***** EXPOSURE CONTROL INFORMATION *****

VENTILATION

LOCAL EXHAUST TO MEET 10.0MG/M3 MECHANICAL (GEN) DUST COLLECTOR
SPECIAL..... N/A OTHER..... N/A

RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED DUST RESPIRATOR ADEQUATE TO REDUCE EXPOSURE 10.5 MG/M3

PROTECTIVE GLOVES

ADEQUATE TO PREVENT SKIN CONTACT

OTHER PROTECTIVE EQUIPMENT

SAFETY GOGGLES.AND EQUIPMENT ADEQUATE TO PROTECT CLOTHING.

OTHER ENGINEERING CONTROLS

N/A

WORK PRACTICES

SEE HYGENIC PRACTICES

HYGENIC PRACTICES

AFTER HANDLING PRODUCT, WASH THOROUGHLY WITH SOAP AND WATER. FOLLOW ESTABLISHED SAFETY POLICIES.

***** SPECIAL PRECAUTIONS *****

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

STORE AT ROOM TEMPERATURE. DO NOT STORE NEAR EXCESSIVE HEAT OR OPEN FLAME.

MAINTENANCE PRECAUTIONS

N/A

OTHER PRECAUTIONS

N/A

OTHER COMMENTS

THE INFORMATION HEREIN, IS GIVEN IN GOOD FAITH, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE.