

SECTION - 1

160-364

SAFETY DATA SHEET

Micro Wax Film De Bubbler Revision Date 12/27/2014

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Micro Wax Film De Bubbler PRODUCT USE ITEM Ultra Sonic Bath Cleaning Compound 990

COMPANY NAME Magic Cast Products Office (870) 330-4061

3500 Tennessee Road Fax (870) 330-4065

www.magiccastproducts.com Texarkana AR 71854 Web

EMERGENCY TELEPHONE NUMBER INFOTRAC (800) 535-5053

SECTION - 2 HAZARDS INFORMATION

PHYSICAL HAZARDS

SECTION - 3

HEALTH HAZARDS EYES-Category 2A, SKIN-Category 2

Irritant (skin and eye)

WARNING! Causes serious eye irritation, Causes skin irritation, Harmful if swallowed, May cause respiratory irritation, Do not get in

eyes, on skin, or clothing, and avoid inhalation of mist, Use personal protective equipment as required, Wash thoroughly

after handling, Avoid release into the environment

COMPOSITION INFORMATION

CHEMICAL NAME COMMON NAME AND SYNONYMS CAS# **IMPURITIES PERCENT**

2-butoxyethanol Ethylene Glycol Monobutyl Ether 111-76-2 5 - 15%

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, If irritation persists

obtain medical attention, preferably from an ophthalmologist

SKIN CONTACT Wash contaminated skin with plenty of soap and water, Remove any contaminated clothing and wash before reuse, If

irritation is present or occurs obtain medical attention

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not considered to be an aspiration hazard

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, or pain Skin Can cause skin irritation, redness, drying or cracking Inhalation Mist may cause mild irritation, to respiratory tract

Ingestion Harmful if swallowed, May cause irritation, of the mouth, throat, esophagus, and may affect target organs, Minimal

acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain Skin Causes skin irritation, redness, burning, drying or cracking

Inhalation Mist can cause irritation, to nose, throat, mucus membranes or respiratory tract

Harmful if swallowed, Can cause irritation, of the mouth, throat, esophagus, and may affect target organs, Slight acute Ingestion

toxicity if swallowed

SECTION - 5 **FIRE FIGHTING MEASURES**

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, aldehydes, carbon monoxide, carbon dioxide, ketones, organic

acids, and other toxic fumes

Reactive With Incompatible with, strong oxidizing agents

Explosion Hazards Not applicable Static Discharge Not applicable **Mechanical Impact** Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

FLAMMABLE LIQUIDS HAZARD CLASSIFICATION

Criteria Flash point > 93.3°C (200°F)

NFPA Class III B GHS Not applicable WHMIS Not applicable

NFPA HAZARD RATINGS Health 2 Flammability 0 Reactivity 0 **Personal Protection FBG**

SECTION - 6 **ACCIDENTAL RELEASE MEASURES**

Emergency Procedures Warn personnel of spill

Personal Precautions Eliminate ignition sources and ventilate area, Avoid slipping on spilled product

Protective Equipment Safety Glasses, Chemical Gloves and Rubber Boots

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading

Clean Up Procedures Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Large Spills: Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container

Vacuum or sweep up material and place in a disposal container

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

HANDLING AND STORAGE SECTION - 7

Handling Keep away from incompatible materials, Use appropriate safety equipment, Avoid eye and skin contact, Avoid

inhalation of mist, May cause respiratory irritation, Harmful if swallowed, Do not allow smoking and food

consumption while handling, Wash thoroughly after handling, Avoid release to the environment

KEEP OUT OF REACH OF CHILDREN. Keep container closed when not in use. Store away from incompatible

materials

Incompatible Materials Incompatible with, strong oxidizing agents

SECTION - 8 **EXPOSURE CONTROLS / PERSONAL PROTECTION**

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
2-hutovvethanol	20 nnm		25 nnm (120 mg/m3)		Skin

PERSONAL PROTECTIVE EQUIPMENT







Impervious **Chemical Gloves**



(Recommended)



Storage

Ventilation

General Ventilation

Ventilate to keep vapors of this material below the lowest ppm listed above. If over Threshold Limit Value use NIOSH approved respirator.

HMIS HAZARD RATINGS

Health	2
Flammability	0
Reactivity	0
ersonal Protection	В

Р

SECTION - 9 PHYSICAL AND CHEMICAL PROPERTIES Not Flammable Specific Gravity / Relative Density 1.0 Flash Point ND ND Flammable Limits Molecular Weight ND ND Auto-Ignition Temp. **Initial Boiling Point Physical State** Liquid **Boiling Range** ND Clear Pink ND **Appearance** Vapor Pressure Slight Solvent NΠ Odor Vapor Density **Odor Threshold** ND Freeze Point ND Solubility 100% **Melting Point** ND ND **Volatiles** 100% Partition Coefficient VOC < 11% **Decomposition Temperature** ND pH (± 0.3) ND 7.32 **Evaporation Rate**

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable when stored below 49°C (120°F)

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, bases, metals, strong oxidizing agents, strong reducing agents, alcohols, halogenated

agents, organic peroxides, carbonates, ketones, sulfides

Thermal Decomposition Burning or thermal decomposition can produce, phosphorus oxides, carbon monoxide, carbon dioxide,

hydrogen, phosphine, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, or pain

Skin Can cause skin irritation, redness, drying or cracking

Inhalation Mist may cause mild irritation, to respiratory tract

Ingestion Harmful if swallowed, May cause irritation, of the mouth, throat, esophagus, and may affect target organs, Minimal

acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain
Skin Causes skin irritation, redness, burning, drying or cracking

Inhalation Mist can cause irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion Harmful if swallowed, Can cause irritation, of the mouth, throat, esophagus, and may affect target organs, Slight acute

toxicity if swallowed

Acute Tox Calculated Oral: 4,700 mg/kg Dermal: 2,200 mg/kg Inhaled: 4,500 mg/L

Acute Tox Category "Not applicable (Oral > 2,000 mg/kg)", "Not applicable (Dermal > 2,000 mg/kg)", "Not applicable (Inhaled > 20 mg/L) Vapors"

Additional Info

Target Organs Blood Cells, Kidneys, Liver, Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, liver, kidney, blood, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed

MUTAGENIC AND REPRODUCTIVE EFFECTS - May cause fetal and reproductive abnormalities.

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed

SECTION - 11 TOXICOLOGI	CAL INFORM	ATION - CONTINU	ED						
ACUTE TOXICITY	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	GHS Category			
2-butoxyethanol	ol LD50 Oral Rat		Rat	470 mg/kg		4 (>300, ≤2000 mg/kg)			
	LC50	Inhaled	Rat	450 ppm	4 Hour	4 (>10, ≤20 mg/L)			
	LD50	Dermal	Rabbit	220 mg/kg		3 (>200, ≤1000 mg/kg)			
SECTION – 12 ECOLOGICAL	_ INFORMATIO	ON							
CHEMICAL NAME	<u>Type</u>	<u>Subject</u>	Subject Subject Latin		Exposure Time	GHS Category			
2-butoxyethanol	EC50	Water Flea	Water Flea (Daphnia magna)		24 Hours	4 (>100 mg/L)			
	LC50	Bluegill	(Lepomis macrochirus)	220 mg/L	96 Hours	4 (>100 mg/L)			
Presistence And Degradability This product is inherently biodegradable according to the OECD definition									
Bioaccumulative Potential	No data available								
Mobility In Soil This product is water soluble and will move readily i					ater				
Other Adverse Effects No data available									

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

Proper Shipping Name

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate.

SECTION – 14 TRANSPORT INFORMATION

D.O.T. CLASSIFICATION

UN Number

Not Regulated Non Hazardous – Compounds Cleaning Liquid

<u>Hazard Class</u> <u>Packing Group</u> <u>Label Codes</u> <u>Reportable Quantity (Ibs)</u> <u>Response Code</u> <u>Marine Pollutant</u>

None PG III None None 154 No

Page 5 of 6	Micro Wax Film De Bubbler Revision Date 12/27/2014						12/27/2014							
SECTION - 1	5 REGULATORY	Y INFORMATIO	N											
TSCA														
CHEMICAL N	IAME	Sec 8(b)	Inventory	S	ec 8(d) Hea	lth Ar	nd Safety	Se	c 4(a) Chen	nical Test I	Rules	Sec 12(b) Expor	t Notification
2-butoxyetha	anol	Yo	es		Y	'es								
REPORTABL	E QUANTITIES	I	Extremely	Hazardou	s		Reportable Q	uantity	Emission	Reporting				
CHEMICAL NAME		EPCRA TP	EPCRA TPQ Sec 302 EPC		EPCRA RQ Sec 304 CERCLA R		CERCLA RQ	Q Sec 103 TRI Sec 3		ec 313	RCRA Code		RMP	TQ Sec 112r
Glycol Ether	s								Y	es				
<u>SARA</u>		Se	ction 311	l				Section	on 311 / 3 [,]	12 Hazar	ds			
CHEMICAL N	IAME	Hazard	Hazardous Chemical		Ad	Acute		Chronic Flammable		Pressure			Reactive	
2-butoxyetha	anol		Yes		Y	es/		Yes		Yes				
RIGHT TO KN	<u>IOW</u>						STATE							
CHEMICAL N	IAME	CA	СТ	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
2-butoxyetha	anol						Yes		Yes			Yes		
CALIFORNIA				WARNI	NG! This	prod	luct contair	ns chem	icals kno	wn to the	state	of Californ	ia to c	ause:
CHEMICAL N	IAME	CAS#		Birth D	efects		Reproduc	tive Har	m	Carcino	ogen	D	evelor	pmental
None Listed														
CLEAN AIR V	WATER ACTS			Clean	Air Acts					(Clean V	Vater Acts		
CHEMICAL N	IAME	CAS#		HAP	(Ozon	e Class 1	Ozon	ne Class 2	!	HS	PP		TP
None Listed														
INTERNATION	NAL REGULATIONS	- The compo	nents of t	his prod	uct are list	ted o	n the chemi	cal inver	ntories of t	he follow	ing cou	ntries:		
CHEMICAL N	IAME	Austr	alia	Ca	ınada	E	urope (EIN	ECS)	Japaı	n	K	orea		UK
2-butoxyethanol		Ye	s	Yes			Yes		Yes		Yes			Yes
WHMIS Class	sification													
CHEMICAL N	IAME		DSL	Class	Descrip	otion								
2-butoxyetha	anol		Yes	D-2B	Materia	als C	ausing Oth	ner Toxi	c Effects	; Toxic N	/lateria	I		
DSCL (EEC)														
Code	Definition (R-Phrase	es / S-Phrases))											
R22	Harmful if swallowe	ed												
R36/37/38	Irritating to eyes, respiratory system and skin													
S2	Keep out of the reach of children													
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice													
S61	Avoid release to the environment													
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible													
S24/25	Avoid contact with skin and eyes													
000/07/06	147													

Wear suitable protective clothing, gloves and eye/face protection

S36/37/39

SECTION – 16 OTHER INFORMATION

SDS	Legend Description		
ACGIH	American Conference of Governmental Industrial Hygienists	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CAS	Chemical Abstracts Service Registry	LEL	Lower Explosive Limit
CEIL	Ceiling Limit (15 minutes)	NA	Not Applicable
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	ND	Not Determined
EPA	Environmental Protection Agency	NE	Not Established
FBG	Full Bunker Gear	NFPA	National Fire Protection Association
HAP	California Hazardous air pollutant Clean Air Act	NIOSH	National Institute for Occupational Safety and Health
HMIS-A	Safety Glasses	NTP	National Toxicology Program
HMIS-B	Safety glasses, gloves	OSHA	Occupational Safety and Health Administration
HMIS-C	Safety glasses, gloves, chemical apron	PEL	Permissible Exposure Limit (OSHA)
HMIS-D	Face shield, gloves, chemical apron	PP	California Priority Pollutant under the Clean Water Act
HMIS-E	Safety glasses, gloves, dust respirator	REL	Recommended exposure limit (NIOSH)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Air concentration that is lethal to 50% of a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
IARC	International Agency for Research on Cancer	UEL	Upper Explosive Limit
LC50	Air concentration that is lethal to 50% of a given species in a given time	WHMIS	Worker Hazardous Materials Information System (Canada)

Magic Cast Products

and nCites, L.L.C. have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Supersedes Safety Data Sheet Dated